

#### Background



- 1965 Flood Control Act authorized the Corps to look for solutions to interior flooding.
- Studies performed in 1965 and 1984 recommended flood control based solutions. Economic benefits were not sufficient to justify a federal project.
- 1993-1996 area experienced severe flooding








#### Re-evaluation



- 1997 Corps directed by Congress reevaluate 1984 Report solutions.
- Intuitively it was recognized that flood control based solutions again would fail the economic test.
- A new approach was needed.





#### New Approach



# Ecosystem Restoration That Achieves Flood Damage Reduction

# Study Goals



- Flood Damage Reduction
  - Re-establishment of Natural Flood Pulse
- Ecosystem Restoration
  - Wetland/Habitat Enhancement and Protection
  - Open space preservation
  - Restoration of bio-diversity
- Sediment Load Reduction

### Existing Flood Control System



- Upland tributaries and streams which are in their natural state
- Altered hydrology with man made canals/drainage ditches
- Gravity drains through levee
- Pumping stations at canals/ditches and at the main line levee





# Existing Ecosystem Features

- Segmented, farmed and degraded wetlands.
- Loss of bio-diversity for habitat.
- Altered and manipulated hydrology.
- Bisected riparian corridors.
- Degraded water quality.
- Upland stream bank degradation.



# Low Quality Wetlands






### Riparian Corridors









# Project Complexities

# Urban Setting





#### Conflicts in Land Use



- Rapid Development
- Cultural Resources
- Unique Agricultural

#### Study Approach

- Establish Environmental Restoration Goals using Pre-Settlement Conditions.
- Determine Flood Damage Reduction Benefits with the Environmental Project.
- Evaluate Sediment Impact With and Without Project.



#### Study Methodology

- Using bio-diversity goals and hydraulic flood plain characteristics, develop diversion and detention alternatives which achieve wetlands/habitat goals while providing flood control.
- Seek solutions in the uplands and in the bottoms for sediment removal.

### Quantifying Benefits



- Habitat Evaluation Procedures (HEP)
- HydroGeoMorphic Approach (HGM)
- Traditional Flood Damage Reduction Assessment

# Quantifying Benefits Selected Species




- Habitat Evaluation Procedures (HEP)
  - Great Blue Heron
  - <u>– Marsh Wren</u>
  - Mink
  - Wood Duck
  - Fox Squirrel
  - Slider Turtle
  - Black Crappie
  - White Crappie
  - Eastern Meadowlark

# Quantifying Benefits Wetlands



- HydroGeoMorphic Approach (HGM)
  - Wildlife Habitat Maintenance
  - Organic Carbon Export
  - Maintain Characteristic Plant Community
  - Water Quality
  - Internal Nutrient Cycling
  - Flood Water Detention/Precipitation Detention



#### Alternatives Under Analysis

- Old Cahokia Creek Restoration
- Judy's/Burdick Branch
- Brushy Lake
- Spring/Indian Lake and St. Clair Farms
- Mullens Slough
- Dobrey Slough
- Elms Slough
- 180+ Upland Dry Detention Basins



#### Sediment Load Reduction

- Analyze sources of sediment
- Identify methods to remove sediment based on source
- Look at environmental techniques for stream bank stabilization
- Design demonstration project to validate assumptions













#### AGGRESSIVE PARTNERING



- Local Support Metro East Storm Water Committee
- Illinois Department of Natural Resources
- Illinois Department of Transportation
- State Historic Preservation Office
- Environmental Protection Agency Region V
- Natural Resources Conservation Service
- U.S. Fish and Wildlife Service
- Illinois Department of Agriculture
- Corps of Engineers Waterways Experiment Station



#### Achieve Goals



- Ecosystem Restoration
  - Wetland/Habitat Enhancement and Protection Consistent with Study Goals
  - Open space preservation
  - Restoration of bio-diversity
- Flood Damage Reduction
  - Re-establishment of Natural Flood Pulse
- Sediment Load Reduction

## QUESTIONS?



